

CONTENTS

(Abstracts/contents lists published in: Chem. Abstr.; Curr. Contents; Phys. Chem. Earth Sci., Life Sci.)

| | |
|---|-----|
| Dedication: Professor Bengt Lindberg | ix |
| ¹ H- und ¹³ C-N.m.r.-Spektren der 1,6-Anhydrohexofuranosen P. KÖLL (Oldenburg, B.R.D.) UND S. J. ANGYAL (Kensington, N.S.W., Australia) | 1 |
| Fast-atom-bombardment mass-spectrometric strategies for sequencing sulphated oligosaccharides A. DELL, M. E. ROGERS, J. E. THOMAS-OATES (London, Gt. Britain), T. N. HUCKERBY, P. N. SANDERSON AND I. A. NIEDUSZYNSKI (Lancaster, Gt. Britain) | 7 |
| On the stereochemistry of osmium tetroxide oxidations of allylic systems used in the synthesis of higher-carbon sugars J. S. BRIMACOMBE AND A. K. M. S. KABIR (Dundee, Gt. Britain) | 21 |
| Synthesis of <i>p</i> -trifluoroacetamidophenyl β-D-glucopyranoside 4-(D-ribitol-5-yl phosphate) corre- sponding to the <i>Haemophilus influenzae</i> type a capsular antigen B. CLASSON, P. J. GAREGG, AND I. LINDH (Stockholm, Sweden) | 31 |
| Synthesis of 1,2-O-cyanoethylidene derivatives of alkyl glycopyranuronates by oxidation of the 6-trityl ethers of their hexose analogues V. I. BETANELI, A. YA. OTT, O. V. BRUKHANOVA, AND N. K. KOCHETKOV (Moscow, U.S.S.R.) | 37 |
| Somatic antigens of <i>Shigella</i> : structure of the O-specific polysaccharide chain of the <i>Shigella</i> <i>dysenteriae</i> type 7 lipopolysaccharide Y. A. KNIREL, V. V. DASHUNIN, A. S. SHASHKOV, N. K. KOCHETKOV, B. A. DMITRIEV, AND I. L. HOFMAN (Moscow, U.S.S.R.) | 51 |
| Synthesis of a di-, tri-, and tetra-saccharide unit of the group B streptococcal common antigen V. POZSGAY AND H. J. JENNINGS (Ottawa, Ontario, Canada) | 61 |
| Reactions of methyl 4,6-O-benzylidene-2,3-dideoxy-2-C- <i>p</i> -tolylsulfonyl-α-D-erythro-hex-2- enopyranoside and its phenyl analogue with sodium methoxide T. SAKAKIBARA (Yokohama, Japan), A. YAMAMOTO, AND Y. ISHIDO (Tokyo, Japan) | 77 |
| Base-catalysed rearrangement of some bromodeoxyheptonolactones K. BOCK, I. LUNDT, AND C. PEDERSEN (Lyngby, Denmark) | 87 |
| Synthesis and conformational analysis of methyl 3-O-[α-L(and D)-rhamnopyranosyl]maltoside derivatives: a branched trisaccharide with the central glucopyranose residuc in the ¹ C ₄ conformation K. BOCK, J. FERNANDEZ-BOLAÑOS GUZMAN, AND R. NORRESTAM (Lyngby, Denmark) | 97 |
| Synthesis of 1,5-lactones of 3-deoxy-D-manno-2-octulopyranosonic acid (KDO) F.-I. AUZANNEAU, D. CHARON, L. SZABÓ (Châtenay-Malabry, France), AND C. MÉRLENNE (Orsay, France) | 125 |
| Recognition of oligosaccharide substrates by <i>N</i> -acetylglucosaminyltransferase-V O. P. SRIVASTAVA, O. HINDSGAUL (Edmonton, Alberta, Canada), M. SHOREIBAH, AND M. PIERCE (Miami, FL, U.S.A.) | 137 |

CONTENTS

(Abstracts/contents lists published in: Chem. Abstr.; Curr. Contents; Phys. Chem. Earth Sci., Life Sci.)

| | |
|---|-----|
| Dedication: Professor Bengt Lindberg | ix |
| ¹ H- und ¹³ C-N.m.r.-Spektren der 1,6-Anhydrohexofuranosen P. KÖLL (Oldenburg, B.R.D.) UND S. J. ANGYAL (Kensington, N.S.W., Australia) | 1 |
| Fast-atom-bombardment mass-spectrometric strategies for sequencing sulphated oligosaccharides A. DELL, M. E. ROGERS, J. E. THOMAS-OATES (London, Gt. Britain), T. N. HUCKERBY, P. N. SANDERSON AND I. A. NIEDUSZYNSKI (Lancaster, Gt. Britain) | 7 |
| On the stereochemistry of osmium tetroxide oxidations of allylic systems used in the synthesis of higher-carbon sugars J. S. BRIMACOMBE AND A. K. M. S. KABIR (Dundee, Gt. Britain) | 21 |
| Synthesis of <i>p</i> -trifluoroacetamidophenyl β-D-glucopyranoside 4-(D-ribitol-5-yl phosphate) corre- sponding to the <i>Haemophilus influenzae</i> type a capsular antigen B. CLASSON, P. J. GAREGG, AND I. LINDH (Stockholm, Sweden) | 31 |
| Synthesis of 1,2-O-cyanoethylidene derivatives of alkyl glycopyranuronates by oxidation of the 6-trityl ethers of their hexose analogues V. I. BETANELI, A. YA. OTT, O. V. BRUKHANOVA, AND N. K. KOCHETKOV (Moscow, U.S.S.R.) | 37 |
| Somatic antigens of <i>Shigella</i> : structure of the O-specific polysaccharide chain of the <i>Shigella</i> <i>dysenteriae</i> type 7 lipopolysaccharide Y. A. KNIREL, V. V. DASHUNIN, A. S. SHASHKOV, N. K. KOCHETKOV, B. A. DMITRIEV, AND I. L. HOFMAN (Moscow, U.S.S.R.) | 51 |
| Synthesis of a di-, tri-, and tetra-saccharide unit of the group B streptococcal common antigen V. POZSGAY AND H. J. JENNINGS (Ottawa, Ontario, Canada) | 61 |
| Reactions of methyl 4,6-O-benzylidene-2,3-dideoxy-2-C- <i>p</i> -tolylsulfonyl-α-D-erythro-hex-2- enopyranoside and its phenyl analogue with sodium methoxide T. SAKAKIBARA (Yokohama, Japan), A. YAMAMOTO, AND Y. ISHIDO (Tokyo, Japan) | 77 |
| Base-catalysed rearrangement of some bromodeoxyheptonolactones K. BOCK, I. LUNDT, AND C. PEDERSEN (Lyngby, Denmark) | 87 |
| Synthesis and conformational analysis of methyl 3-O-[α-L(and D)-rhamnopyranosyl]maltoside derivatives: a branched trisaccharide with the central glucopyranose residuc in the ¹ C ₄ conformation K. BOCK, J. FERNANDEZ-BOLAÑOS GUZMAN, AND R. NORRESTAM (Lyngby, Denmark) | 97 |
| Synthesis of 1,5-lactones of 3-deoxy-D-manno-2-octulopyranosonic acid (KDO) F.-I. AUZANNEAU, D. CHARON, L. SZABÓ (Châtenay-Malabry, France), AND C. MÉRISSE (Orsay, France) | 125 |
| Recognition of oligosaccharide substrates by <i>N</i> -acetylglucosaminyltransferase-V O. P. SRIVASTAVA, O. HINDSGAUL (Edmonton, Alberta, Canada), M. SHOREIBAH, AND M. PIERCE (Miami, FL, U.S.A.) | 137 |

| | |
|--|-----|
| Binding of heparin to antithrombin III: a chemical proof of the critical role played by a 3-sulfated 2-amino-2-deoxy-D-glucose residue M. PETITOU, P. DUCHAUSSOY, I. LEDERMAN, J. CHOAY, AND P. SINAY (Paris, France) . . . | 163 |
| Synthese von Trisaccharid-Einheiten der Kapselpolysaccharide von <i>Streptococcus pneumoniae</i> H. PAULSEN, B. HELPAF, AND J. P. LORENTZEN (Hamburg, B.R.D.) . . . | 173 |
| A convenient synthesis of 4-amino-4-deoxy-L-arabinose and its reduction product, 1,4-dideoxy-1,4-imino-L-arabinitol J. J. NALEWAY, C. R. H. RAETZ, AND L. ANDERSON (Madison, WI, U.S.A.) . . . | 199 |
| The hex-5-enose degradation: cleavage of modified glycosiduronic acid linkages in methylated <i>Khaya ivorensis</i> gum G. O. ASPINALL, L. KHONDO, AND J. A. KINNEAR (Toronto, Ontario, Canada) . . . | 211 |
| Structure of the K74 antigen from <i>Escherichia coli</i> O44:K74:H18, a capsular polysaccharide containing furanosidic β -KDO residues R. AHRENS, B. JANN, K. JANN (Freiburg, F.R.G.), AND H. BRADE (Borstel, F.R.G.) . . . | 223 |
| Structure of the major lipopolysaccharide antigenic O-chain produced by <i>Salmonella carrau</i> (O:6, 14, 24) J. L. DI FABIO, J.-R. BRISSON, AND M. B. PERRY (Ottawa, Ontario, Canada) . . . | 233 |
| Structure of the O-antigen polysaccharide of <i>Haemophilus pleuropneumoniae</i> serotype 3 (ATCC 27090) lipopolysaccharide E. ALTMAN, J.-R. BRISSON, AND M. B. PERRY (Ottawa, Ontario, Canada) . . . | 245 |
| Control of depolymerisation during the preparation of reduced dialdehyde cellulose T. J. PAINTER (Trondheim, Norway) . . . | 259 |
| 3-Deoxy-D-lyxo-2-heptulosaric acid, a component of the plant cell-wall polysaccharide rhamnogalacturonan-II T. T. STEVENSON, A. G. DARVILL, AND P. ALBERSHEIM (Athens, GA, U.S.A.) . . . | 269 |
| Isolation and chemical analysis of 7-O-(2-amino-2-deoxy- α -D-glucopyranosyl)-L-glycero-D-mannoheptose as a constituent of the lipopolysaccharides of the UDP-galactose epimerase-less mutant J-5 of <i>Escherichia coli</i> and <i>Vibrio cholerae</i> W. KACA, J. DE JONGH-LEUVENINK, U. ZÄHRINGER, E. T. RIETSCHEL, H. BRADE (Borstel, F.R.G.), J. VERHOEF (Utrecht, The Netherlands), AND V. SINNEWELL (Hamburg, F.R.G.) . . . | 289 |
| Primary structure of <i>Klebsiella</i> serotype K22 capsular polysaccharide: another glycan containing 4-O-[(S)-1-carboxyethyl]-D-glucuronic acid L. A. S. PAROLIS, H. PAROLIS (Grahamstown, South Africa), H. NIEMAN, AND S. STIRM (Giessen, F.R.G.) . . . | 301 |
| Synthesis of a β -(1 \rightarrow 6)-linked polysaccharide via ring-opening polymerization with neighboring-group participation H. ICHIKAWA, K. KOBAYASHI, H. SUMITOMO (Nagoya, Japan), AND C. SCHUERCH (Syracuse, NY, U.S.A.) . . . | 315 |
| The structural repeating-unit of the capsular polysaccharide from <i>Klebsiella</i> serotype K48 J.-P. JOSELEAU AND M.-F. MARAIS (Grenoble, France) . . . | 321 |
| The iodine-staining properties and fine structure of some mammalian and invertebrate glycogens S. A. S. CRAIG, A. M. L. McDONALD, D. J. MANNERS, AND J. R. STARK (Edinburgh, Gt. Britain) . . . | 327 |

(Continued overleaf)

(contents continued)

| | |
|--|-----|
| Structural studies of an acidic galactomannan from the reference strain for <i>Serratia marcescens</i> serogroup O4 D. OXLEY AND S. G. WILKINSON (Hull, Gt. Britain) | 341 |
| The structure of the O-specific polysaccharide chain from <i>Citrobacter</i> O23-lipopolysaccharide E. KATZENELLENBOGEN, E. ROMANOWSKA (Wroclaw, Poland), AND I. EKIEL (Ottawa, Canada) | 349 |
| A ^{13}C -n.m.r. study of some <i>Shigella flexneri</i> O-polysaccharides P.-E. JANSSON, L. KENNE, AND T. WEHLER (Stockholm, Sweden) | 359 |
| On the utility of ^{13}C -n.m.r. spectroscopy in the identification of the primary structures of manno-oligosaccharides and glycopeptides D. A. CUMMING (Toronto, Ontario, Canada), C. HELLERQVIST, AND O. TOUSTER (Nashville, TN, U.S.A.) | 369 |
| Biosynthesis, in calf pancreas microsomes, of three lipid-linked oligosaccharide diphosphates from a synthetic dolichyl diphosphate tetrasaccharide Y. GOUSSAULT, S. NAKABAYASHI, C. D. WARREN, B. BUGGE, AND R. W. JEANLOZ (Boston, MA, U.S.A.) | 381 |
| Synthesis and characterization of lyso-GM ₃ (II ³ Neu5Ac lactosyl sphingosine), de-N-acetyl-GM ₃ (II ³ NeuNH ₂ lactosyl cer), and related compounds G. A. NORES, N. HANAI, S. B. LEVERY, H. L. EATON, M. E. K. SALYAN, AND S. HAKOMORI (Seattle, WA, U.S.A.) | 393 |
| Notes | |
| ^1H - and ^{13}C -n.m.r. spectroscopy of synthetic monosulphated methyl α -D-galactopyranosides R. R. CONTRERAS, J. P. KAMERLING, J. BREG, AND J. F. G. Vliegenthart (Utrecht, The Netherlands) | 411 |
| Structural studies of <i>E. coli</i> K26 capsular polysaccharide, using g.l.c.-c.i.-m.s. L. M. BEYNON AND G. G. S. DUTTON (Vancouver, B.C., Canada) | 419 |
| Author index | c1 |
| Subject index | c3 |

